DEVFEST TROY · SATURDAY 24 OCTOBER 2026

Machines That Learn on the Job.



How an AI unit earns trust from the people it works for: one correction, one rule, one procedure step at a time.

Sean Smith
Author · Influence Design in the AI Era
Independent Research | Fluxive Inc
Applied AI and Semiconductor Design
sean@fluxive.ai

SEAN@FLUXIVE.AI · © 2026 FLUXIVE INC

ABOUT THE SPEAKER

Sean W. Smith. Author.

Author of the **Influence Design in the AI Era** series. From ocean science to data and AI platforms: 20+ years in technology, analytics and organizational transformation. Independent research at fluXive.ai.

OCEAN SCIENCE

Bigelow Laboratory
Research Assistant
UMaine Darling Marine Center
PI · lobster pigmentation
URI GSO & US GLOBEC
Gulf of Maine cruises

PUBLIC SECTOR

NYS Taxation & Finance
NY State Police

SEARCH & DATA


Endeca
Oracle
RealDecoy
EMC
Dell

ANALYTICS & AI


BigSquid
DataRobot
Domo
ValidMind

NOW

Author
Influence Design in the AI Era



BUSINESS STRATEGY
Out now



THE PHYSICS OF GOVERNANCE
Coming 2027

GET THE BOOKS

Influence Design in the AI Era

A series by Sean W. Smith

Amazon author page →

© 2026 FLUXIVE INC

THE PLAN

Fifty minutes, four parts.



The compute problem

From the abacus to learned programs: what we gave up each time machines got more general.

How a machine learns on the job

Four mechanisms, and what keeps each one honest.

Live demo

Jennifer teaches the unit a rule on stage. I approve it.


What we learned

What broke, where else this applies, three things to steal. Then questions.

© 2026 FLUXIVE INC

PART I · THE COMPUTE PROBLEM

A short history of doing what we're told.




c. 2700 BCE
Abacus



1642
Mechanical calculator



1837
Programmable engine



1971
Microprocessor



2017
Learned programs


© 2026 FLUXIVE INC

C. 2700–2300 BCE · MESOPOTAMIA

The human is the processor.

The abacus holds the state. A person moves the beads, does the arithmetic, and decides whether the answer makes sense.

Every rule about what should be computed lives in the person. The device can’t do anything on its own.



GOVERNANCE: THE OPERATOR

Suanpan · Photo: Shieldforyoureyes, D. Fischer · CC BY-SA 3.0

© 2026 FLUXIVE INC

1642 · 1673 · 1820

The rule is the mechanism.

Pascal’s Pascaline (1642), Leibniz’s stepped reckoner (1673) and de Colmar’s Arithmometer (1820) put arithmetic into gears.

Same input, same output, every time. It can’t do the wrong thing because it can only do one thing.



GOVERNANCE: THE GEARS THEMSELVES

Pascaline · Photo: David Monniaux · CC BY-SA 3.0

© 2026 FLUXIVE INC

1837 · 1843 · THE ANALYTICAL ENGINE

“

The Analytical Engine has no pretensions whatever to originate anything. It can do whatever we know how to order it to perform.

ADA LOVELACE · NOTE G · 1843

Babbage borrowed punched cards from the Jacquard loom (1804). For the first time the instructions were separate from the machine.



Ada Lovelace (A. E. Chalon, c.1840) · Charles Babbage (1860) · Public domain

© 2026 FLUXIVE INC

1936 · 1945

One machine for every computation.

- Turing (1936): a single universal machine can carry out any computation that can be written down.
- Von Neumann (1945): store the program in the same memory as the data.

From ~1945 on, what a machine does is decided by whatever is loaded into it.

GOVERNANCE: WHOEVER WRITES THE PROGRAM



Alan Turing (Princeton, 1936) · John von Neumann (Los Alamos) · Public domain

© 2026 FLUXIVE INC

1971 · INTEL 4004

The calculator that became a CPU.

Busicom, a Japanese calculator maker, asked Intel for a set of custom calculator chips. Intel answered with one general-purpose processor and put the calculator in software.



2,300

TRANSISTORS ON THE 4004


THE FUNCTION MOVED FROM HARDWARE TO SOFTWARE

Intel C4004 · Photo: Thomas Nguyen · CC BY-SA 4.0

© 2026 FLUXIVE INC

TRANSISTORS PER CHIP · LOG SCALE

Fifty-three years of doing anything faster.



2,300
INTEL 4004 · 1971



3.1 million
PENTIUM · 1993



54.2 billion
NVIDIA A100 · 2020



208 billion
NVIDIA B200 · 2024



© 2026 FLUXIVE INC

THE TRADE

Every step traded constraint for generality.

	ABACUS	CALCULATOR	CPU	LEARNED MODEL
What it computes	A person's arithmetic	One fixed function	Anything it's told	Whatever it learned
Same input, same output?	Up to the person	Always	Yes, for a given program	Not guaranteed
Where the rule lives	In the person	In the gears	In the software	In weights and prompts
Can it do the wrong thing?	Only the person can	No	🚩 Yes, if told to	🚩 Yes, unprompted

Same answer every time?




© 2026 FLUXIVE INC

2017 · ATTENTION IS ALL YOU NEED

Now the program writes itself.

Since the transformer, the most capable software isn't written line by line. Its behaviour is learned from data, and the same input can give a different output.

And it no longer just answers. It calls tools, writes code and takes actions, on **a processor that runs whatever it emits.**




© 2026 FLUXIVE INC

TIME

Software can’t hold time. Only chips can.

A program only knows the time it is told. To software, a clock is just a value: it can be copied, replayed, set back or faked, and the code can’t tell.

Governance runs on time: when a rule applied, how long a permission lasts, whether an action came before its approval. That time has to be kept **in the chip, where it only counts forward.**





© 2026 FLUXIVE INC


PROBLEM 1 · THE MODEL CAN'T LEARN

The model can't learn on the job.

IN ITS OWN WORDS · ASKED 22 OCTOBER 2026

"The underlying model is stateless. I don't learn or change from our conversations, and nothing carries over between separate chats on its own."

CLAUDE (ANTHROPIC), ANSWERING ME




© 2026 FLUXIVE INC

PROBLEM 2 · UNGOVERNED COMPUTE

The substrate does whatever it's told.

"You cannot govern AI in the same substrate that runs AI."



01

Prompt injection

One crafted input switches a guardrail off. When the rules live beside the instructions, instructions win.

02

Runtime drift

Weights update, prompts get rewritten, "temporary" exceptions never expire. Nothing anchors what was enforced yesterday.

03

Unauditable enforcement

When something is blocked, there's no signed record of what, why, or under which policy version.

FROM FLUXIVE'S WHITEPAPER "THE UNGOVERNED COMPUTE PROBLEM" (SEPTEMBER 2026)

© 2026 FLUXIVE INC

PROBLEM 3 · AUTHORIZATION IS NOT GOVERNANCE

Allowed to act ≠ should act.



The robot's controller was authorized to drive the motors. It crossed the finish line at full speed and kept going. Nothing was compromised.

SOLVED IN SILICON

Authorization asks

Is this code who it claims to be, and is it allowed to run?

NOT SOLVED

Governance asks

Should this action happen, right now, inside this envelope?

© 2026 FLUXIVE INC

THE ANSWER · A GOVERNANCE LAYER

Train the configuration, not the model.

FLUXIVE LATTICE

SOFTWARE
Your app or agent
Sends a request.

CEU · REQUEST FILTER PATH
Configurable in real time
Every request and every answer passes through it.

LLM · STATELESS
Frozen weights
Answers anything. Remembers nothing.

01 · MAP
Lattice maps the answer space.

02 · FILTER
Only answers inside the configured space get through.

03 · TRACK
Every decision on a tamper-evident record.

04 · CONFIGURE
Widen the space in real time. That is the training.

05 · OWN
The configuration is yours, and stays in touch with the people it serves.

Learning = expanding the configured space the model is allowed to answer within. No retraining.

© 2026 FLUXIVE INC

TWO PLACES TO PUT THE RULES

Learning needs something that doesn't learn.

MACHINEFORCE · SOFTWARE


In the workflow (today)

What a unit learns is bound to real decisions, approved by a person, written into a versioned procedure and anchored on a ledger.

ENFORCEMENT CHIP · SILICON

In the substrate (another talk)


A separate enforcement chip that evaluates every action before it executes, deterministically, and signs the result.



© 2026 FLUXIVE INC

GUIDE-RAILS · TWO LAYERS

Software learns.
Silicon holds the line.



The AI model
Learns on the job. It can be wrong, and it can be talked into things.

Software guide-rails · MachineForce
Gates before and after every answer. A correction becomes a rule today. Each event anchored on the Ledger.

Hardware guide-rails · enforcement chip
A separate chip checks every action before it executes. Deterministic, and it signs every result.


The real action
Only what clears both layers reaches the world.

You need both: the software layer for learning, and the chip for limits.

© 2026 FLUXIVE INC

ONE CHAT · TWO KINDS OF GUARDRAILS


Same message.
Two different outcomes.




© 2026 FLUXIVE INC

THE FULL ROUND TRIP · TODAY VS TWO LAYERS

One question, two paths.



The answer or action comes back unchecked.



The answer comes back checked and signed.

© 2026 FLUXIVE INC

PART II · HOW A MACHINE LEARNS ON THE JOB

Learning as a workflow.

No retraining, no fine-tuning. What changes is what the unit reads, and what it's allowed to do.



© 2026 FLUXIVE INC

THE PROBLEM

Today’s agents don’t learn on the job.



The correction changed the record, not the behaviour.

01 · SPEED

Retraining is the wrong tool

A rule learned on a Tuesday afternoon can’t wait for a training run.

02 · ACCOUNTABILITY

Prompts drift and hide

A rule pasted into a prompt has no owner, version or approver.

03 · TRUST

Trust is all-or-nothing

Check every decision forever, or none. No earned middle.

© 2026 FLUXIVE INC

THE IDEA

Learning is a workflow, not a weight update.


Treat what a machine learns the way a good team treats what a new hire learns: corrected by a person, approved by someone with authority, written into the procedure, and read the next time the job comes up.



© 2026 FLUXIVE INC

WHERE IT RUNS

Our research platform, on Google Cloud.



OUR RESEARCH PLATFORM · GOOGLE CLOUD

Four parts of the platform carry the learning loop.

© 2026 FLUXIVE INC

MACHINEFORCE CONTROL · FORCE FLOOR

Every unit, at work in its bay.

Control is where operators see the whole force: each unit placed by team, its status, and the decisions it made in the last 14 days.

One click opens a unit's record: its rules, its corrections, and the verdicts that shaped them.



LIVE CAPTURE · MACHINEFORCE CONTROL

© 2026 FLUXIVE INC

MACHINEFORCE LAUNCH · SIDECAR

The unit's chat, and its limits.

Launch puts each assigned unit one tap away. Operators talk to it, review what it proposes, and give a verdict with a yes or a no.

Here a home manager unit declines a request outside its job. Its bounds are enforced, not suggested.



LIVE CAPTURE · MACHINEFORCE LAUNCH

© 2026 FLUXIVE INC

HOW IT LEARNS

Four mechanisms, no retraining.



01 · FEEDBACK BINDING

Every verdict names a real decision

Right, Wrong or Adjust is stored against an audited decision id. No decision, no learning.



02 · PLAYBOOK PROMOTION

A correction becomes a rule

One tap turns a correction into a standing rule. Above the operator's authority, it's escalated to an approver.



03 · CONTEXT RECALL

The next decision reads what was learned

Every turn loads the unit's rules and recent corrections, and the reply cites the procedure step it used.



04 · THRESHOLD TUNING

Autonomy is earned, with a clock

A run of approved decisions, spread over different days, lets the unit ask for autonomy. One wrong takes it away.

© 2026 FLUXIVE INC

01 · FEEDBACK BINDING

A verdict must name a real decision.


OUR FIRST VERSION · FREE-TEXT REFERENCES

`made-up-1 · made-up-2 · … · made-up-10`

Ten made-up ids, ten × 200 OK.
A ten-long approval streak for decisions that never happened.

NOW · EVERY VERDICT IS CHECKED AGAINST THE AUDITED ACTION LOG

```
POST /feedback
{ "decision_ref": "made-up-17",
  "verdict": "correct" }
```




"An autonomy level is only worth something if every approval behind it points at a decision that happened."

© 2026 FLUXIVE INC

02 · PLAYBOOK PROMOTION

A correction becomes a procedure step.



WHO DECIDES

Escalation to Approver

Above the operator's authority the rule goes to their supervisor in the org chart, or to the org's Owners and Admins.

WHERE IT LIVES

Written where people read

Approval appends a numbered step under "Learned on the job", with who proposed it, who approved it, and why.

WHAT CHANGES

Every unit moves

A new version is published and anchored. Every unit in the org pinned to that procedure moves to it.


© 2026 FLUXIVE INC

03 · CONTEXT RECALL

The next decision cites the step.

On every turn the unit reads its standing rules (authored first, then learned) and its last eight corrections for that kind of decision.

Learned text can only make a unit more careful or more specific. Bounds, capabilities and gates are still enforced after the model answers.




REHEARSAL CAPTURE · SIDECAR

© 2026 FLUXIVE INC

04 · THRESHOLD TUNING

Autonomy with a clock.

Our first rule counted consecutive approvals and nothing else. In our own study a unit reached its autonomy ceiling in **nineteen seconds.**



BURST · NOT COUNTED
Ten approvals in one sitting.

SPREAD · QUALIFIES
Approvals on different days.

N in a row
Approved decisions of one kind, no wrong in between.

Calendar span
The run covers a minimum number of days.

Distinct days
Approvals must land on different days.

Expires, revokes
A grant lasts a set time. One wrong revokes it.

The unit asks → A person grants it → Every change snapshotted

© 2026 FLUXIVE INC

GOVERNANCE

What could go wrong, and what stops it.

THE ATTACK OR FAILURE → WHAT STOPS IT

ATTACK	STOPPED BY
Approvals invented to build a streak	Verdict must name an audited decision (422)
A wrong overwritten out of history	Re-posting never moves a verdict in time
A streak speed-run in one sitting	Calendar span and distinct days
A grant outliving the evidence	One wrong revokes; grants expire
A member of org A marks org B's unit	Scope check on every learning write
A learned rule widening powers	Bounds and gates after the model; a veto always wins

© 2026 FLUXIVE INC

ON THE RECORD

Fail closed. Write it down.

FROM THE FEEDBACK HANDLER

“Say so rather than treating ‘could not check’ as ‘checked and fine’.”

FROM THE REVOCATION RULE

“The moment that run breaks, the evidence it rested on no longer holds — so it goes at once.”



Every learning event is a row. Every procedure version carries a content hash and a Ledger anchor.

© 2026 FLUXIVE INC

PART III · LIVE DEMO

Meet the AP clerk.

A real unit, run every day this week by Jennifer and approved by me. Everything you see next is that unit's own history.

© 2026 FLUXIVE INC

THE SETUP

One unit, one procedure, two people.

THE ORG

Cedarmill Instruments

A test organization with fictional vendors, invoices and amounts. Its Knowledge Base holds the AP Invoice Approval procedure and a vendor master list.

THE UNIT

E2E-TEST AP Clerk

Reviews supplier invoices against the procedure and recommends APPROVE or HOLD, saying why in one or two sentences.

THE PEOPLE

Jennifer and Sean

Jennifer operates: sends invoices, marks each reply, escalates. Sean is the Owner and approves what goes into the procedure.

© 2026 FLUXIVE INC

STAGE POLICY, STATED

We shortened the clock for the stage.

So you can see autonomy earned within one week, this unit runs a shorter policy than production. Here are both.

STAGE

This unit, this week

8 approved decisions in a row
on at least 2 different days
Grant lasts 7 days · one wrong revokes

PRODUCTION

Production default


10 approved decisions in a row
over 14 days, on 5 different days
One wrong revokes

© 2026 FLUXIVE INC

WHAT YOU'RE ABOUT TO SEE

A rush fee, learned live.

1. Jennifer sends an invoice with a rush fee the procedure doesn't cover.
2. The unit answers. She replies "No, …" with the fix.
3. Make this a rule → AP Invoice Approval → Escalate.
4. I approve. It's written in as a new step and version.
5. The Catalog shows the step, who, why and the Ledger proof.
6. The next rush-fee invoice cites the new step.




REHEARSAL CAPTURE · ESCALATION

© 2026 FLUXIVE INC


THE CURVE

Learning, on the record.

Approved decisions, corrections and rules learned, from the unit’s own learning history.



LIVE CAPTURE · A UNIT'S LEARNING RECORD



LIVE CAPTURE · A DECISION MARKED WRONG, REPLAYED

© 2026 FLUXIVE INC

BEYOND ACCOUNTS PAYABLE

Same loop, other jobs.



IT service desk

Which tickets to close, route or escalate.



Claims intake

Which claims are complete and which need a person.



Procurement

Which requests need a second quote.



Customer support

When a refund is policy and when it's an exception.



Compliance review

Which documents are routine and which aren't.

Anywhere a written procedure exists and people already correct each other's work.

© 2026 FLUXIVE INC

WHAT BROKE

We found these by testing ourselves.

Corrections never reached the prompt

Recorded, stored, and ignored at decision time.

Ten invented approvals, all accepted

Free-text references with no existence check.

Autonomy ceiling in 19 seconds

A streak counted approvals, not days.

One org could mark another's unit

The learning writes skipped the scope check.

Approved rules skipped some units

Read authored instructions or learned rules, never both.

A re-posted verdict jumped the queue

It could push a wrong out of the streak's history.

© 2026 FLUXIVE INC

TAKE HOME

Three things to steal.



Bind learning to real decisions

Every verdict points at an audited decision. If it can’t, refuse it.



Write it where people read it

Learned rules belong in the versioned procedure, with who, why and proof, not hidden in a prompt.



Earn trust slowly, lose it fast

Autonomy needs time and distinct days. One wrong takes it away.


© 2026 FLUXIVE INC

WHAT THIS ENABLES

Software that learns. Hardware that decides.

Put the rules in the chip and a learned unit can safely drive more than an inbox: speakers, motors, heat, light and radio, around real people.

The unit proposes. The chip checks every command against limits signed before it starts, **so nothing moves outside them.**



© 2026 FLUXIVE INC

FLUXIVE SURFACES

Space becomes programmable.

Fluxive Surfaces Studio designs, simulates and governs the actuators around people: sound, touch, heat, light and radio, in a room, a theatre, a vehicle cabin or a wearable.

One show drives every surface on one timeline. Slow devices start early by their own lead time, **so every effect arrives on the beat.**



© 2026 FLUXIVE INC

EXAMPLE · EARLY CONCEPT

Birdsong inside the sauna.

With Frank Foti and a local pool and spa company, we're exploring speakers inside a sauna that place birds, wind and water in 3D around the bather.

A small room with a big constraint: heat, steam, and a person who can't easily reach a control. **The limits have to hold without them.**

SAUNA · TOP VIEW



Heat, steam, and a person who can't easily reach a control. So the limits live in the chip.

THE SHOW

Birds
circle overhead, left to right

Wind
through the trees, behind

Water
a stream at bench height

LIMITS THE CHIP HOLDS

- Level at the bather's ear
- Speaker temperature
- Session length

EARLY CONCEPT

With Frank Foti and a local pool and spa company.

© 2026 FLUXIVE INC

TRY IT YOURSELF

Try a unit yourself.



Go to machineforce.one

Tap “Try an MFU Free” and pick one of the five units.



Push it out of its lane

Ask it for something outside its job. Watch it decline, and say why.



Then ask it its job

Ask the same unit what it’s for. Compare the two answers.

© 2026 FLUXIVE INC

QUESTIONS

Thank you.

Sean Smith
Author · Influence Design in the AI Era
Independent Research · Fluxive AI
Applied AI and Semiconductor Design
sean@fluxive.ai



We already know how to trust something that learns on the job.

We do it with every new hire — a correction, an approval, a written procedure, and more rope once it's earned.

The machine doesn't get a shortcut.

© 2026 FLUXIVE INC · 47 / 47